
## Chapter 6 Practice Test Algebra 2 with Trigonometry

Find the number of permutations or combinations.



2. 13<sup>C</sup>12

Use the binomial theorem to expand:

3. 
$$(x + 3)^3$$
1  $(x)^3$   $(3)^6$ 
3  $(x)^3$   $(3)^4$ 
3  $(x)^4$   $(3)^3$ 
1  $(x)^6$   $(3)^3$ 

$$x^3 + 9x^2 + 27x + 27$$

4. 
$$(2s - 1)^4$$
  
1  $(2s)^4$   $(-1)^4$   
4  $(2s)^3$   $(-1)^4$   
6  $(2s)^2$   $(-1)^3$   
4  $(2s)^4$   $(-1)^4$ 


$$16s^4 - 32s^3 + 24s^2 - 8s + 1$$

Find the number of possible 5-card hands that contain the cards specified. The cards are taken from a standard 52-card deck.

5. 1 diamond and 4 non-diamonds

13C1 × 39C4

(1,069,263)




7. A sandwich shop runs a lunch special where you can buy a large sandwich with one bun, two cheeses, two meats, and three vegetables, for \$6. You have a choice of 3 different buns, 6 cheeses, 7 meats, and 8 vegetables. How many different variations of the sandwich special are possible?

3C1 × 6C2 × 7 C2 × 8 C3

8. You are going to toss 6 different coins.

How many different ways will at most 3 of the coins show tails?

6C3+6C3+6C1+6C0





Find the mean, median, mode(s), and range of the data.

A. L. B. A. 48, 25, 50, 21, 50, 4

23 25 27 31 43 44 44 50 50 62

9. Mean

10. Median

11. Mode

12, Range

39.9

43.5

44,50

39

Using the normal curve find the probability for a randomly selected x-value from the distribution.

$13. P(x \le \bar{x}$	$(\sigma)$
-----------------------	------------

$$14.P(x \ge \bar{x} + 2\sigma)$$

15. 
$$P(\bar{x} - 3\sigma \le x \le \bar{x} + \sigma)$$

$$16. \ P(\bar{x} \le x \le \bar{x} - 2\sigma)$$

A normal distribution has a mean of 45 and a standard deviation of 3. Find the probability that a randomly selected x-value from the distribution is in the given interval.

17. Between 42 and 51




19. At least 54



18. Between 39 and 42



20.At most 48




21. A study found the life of a car battery is normally distributed with a mean life of 50 months and standard deviations of 4 months. What is the probability that a randomly selected battery will have a life of at most 47 months?

$$z = 47-50 = -.75$$
  $P(z \le -.8)$ 




22. The time a medical team takes to arrive at the scene of an accident is normally distributed with a mean of 6 minutes and a standard deviation of 2 minutes. What is the probability that a medical team takes at most 7 minutes to arrive at the scene of an accident?

$$z = 7 - 6 = .5$$
  $P(z \le .5)$ 



23. After sending, the email of a certain system has normally distributed arrival times with a mean time of 8 seconds and standard deviation of 4 seconds. What is the probability that a randomly selected email will take longer than 17 seconds to arrive?



Identify the type of sample described. Then tell if the sample is biased. Explain your reasoning.

24. A newspaper is conducting a story to find out people's favorite sport. The newspaper asks every other person attending a baseball game.

## biased systematic

25. A library wants to know how their patrons will respond to increased evening hours. For the next three months, every 3<sup>rd</sup> person is surveyed.

## unbiased systematic

26. A newspaper is sponsoring a poll, and wants to find out the preferences of farmers across the state regarding the state governor's election. The newspaper surveys farmer in the local area to gather their data.

## biased convenience

27. A school wants to know how many of its parents are happy with the after-school program. It sends home a letter asking parents to call in with their opinion.

biased self-selected 28. In a survey of 139 local high school students, 83% of the students said they know how to swim. Find the margin of error for the survey, and give an interval that is likely to contain the exact percent of all local high school students that know how to swim.

£8.5%. 74.5% - 91.5%

29. In a survey of 212 people at the local track and field championship, 72% favored the home team winning. Find the margin of error for the survey, and give an interval that is likely to contain the exact percent of all people who favor the home team winning.

£6.9% 45.1% - 78.9%

Find the sample size required to achieve the given margin of error. Round your answer to the nearest whole number.

$$\frac{1}{\sqrt{x}} = .02 \cdot \frac{.02\sqrt{x}}{.02} = \frac{1}{.02} \cdot \frac{.045}{\sqrt{x}} = .045$$

$$(\sqrt{x})^{2} \cdot (\sqrt{x})^{2} \cdot (\sqrt{x})^{2$$